


METROLOGY®

Granite Measuring Stand




Standard type




Heavy type



Fine travel type



Arm type



Round base type



Universal type

■ Granite Measuring Stand

Pair with dial indicators, digital indicators, level-type indicators, or comparators. For direct measuring or indirect comparing height, depth, thickness, step, flatness, parallelism, roundness of workpieces, or as measuring reference of geometric element.

Grade : German DIN 876/00, JCC inspection report included

Standard type

Model No.	Specification (mm)
GN-MS1515N	150x150x40
GN-MS2015N	200x150x40
GN-MS3020N	300x200x50
GN-MS4530N	450x300x50
GN-MS6045N	600x450x60



GN-MS2015N



- *Main column: hardened chrome steel $\Phi 25 \times L250\text{mm}$
- * $\Phi 8\text{mm}$ indicator holder with aluminum alloy material




Diagram of indicator installation




■ Granite Measuring Stand

Pair with dial indicators, digital indicators, level-type indicators, or comparators. For direct measuring or indirect comparing height, depth, thickness, step, flatness, parallelism, roundness of workpeices, or as measuring reference of geometric element.

Grade : German DIN 876/00, JCC inspection report included


Fine travel type

Model No.	Specification (mm)
GN-MS2015F	200x150x40
GN-MS3020F	300x200x50
GN-MS4530F	450x300x50
GN-MS6045F	600x450x60



GN-MS2015F

- *Main column: hardened chrome steel $\Phi 25 \times L250\text{mm}$
- *Fine adjustment travel: 50mm (double-wheel)
- * $\Phi 8\text{mm}$ indicator holder with aluminum alloy material



Small bore gauge internal measurement

Diagram of indicator installation



■ Granite Measuring Stand

Pair with dial indicators, digital indicators, level-type indicators, or comparators. For direct measuring or indirect comparing height, depth, thickness, step, flatness, parallelism, roundness of workpieces, or as measuring reference of geometric element.

Grade : German DIN 876/00, JCC inspection report included

Arm type

Model No.	Specification (mm)
GN-MS2015A	200x150x40
GN-MS3020A	300x200x50
GN-MS4530A	450x300x50
GN-MS6045A	600x450x60



- *Main column: hardened chrome steel $\Phi 25 \times L250\text{mm}$
- * $\Phi 6$ & $\Phi 8\text{mm}$ indicator fixed clamp
- *The length of vice rod is followed with the size of granite plate.




Diagram of indicator installation



■ Granite Measuring Stand

Pair with dial indicators, digital indicators, level-type indicators, or comparators. For direct measuring or indirect comparing height, depth, thickness, step, flatness, parallelism, roundness of workpieces, or as measuring reference of geometric element.

Grade : German DIN 876/00, JCC inspection report included

Universal type

Model No.	Spec. (mm)	Arm
GN-MS2015U	200x150x40	Mechanical universal type With fine-adjustment device
GN-MS3020U	300x200x50	
GN-MS4530U	450x300x50	
GN-MS6045U	600x450x60	

- *The mode of the universal mechanism will be configured according to the size of the measuring stand
- *Suitable for installation on level type indicator dovetail of any brand



GN-MS2015U



■ Granite Measuring Stand


Pair with dial indicators, digital indicators, level-type indicators, or comparators. For direct measuring or indirect comparing height, depth, thickness, step, flatness, parallelism, roundness of workpieces, or as measuring reference of geometric element.

Grade : German DIN 876/00, JCC inspection report included

Round base type


Model No.	Spec. (mm)
GN-MS300F	Φ300xT50

- *Main column: hardened chrome steel Φ25 x L250mm
- *Fine adjustment travel: 50mm (double-wheel)
- *Φ8mm indicator holder with aluminum alloy material



GN-MS300F

Diagram of indicator installation



■ Granite Measuring Stand


Pair with dial indicators, digital indicators, level-type indicators, or comparators. For direct measuring or indirect comparing height, depth, thickness, step, flatness, parallelism, roundness of workpieces, or as measuring reference of geometric element.

Grade : German DIN 876/00, JCC inspection report included

Heavy type


Model No.	Spec. (mm)
GN-MS3020H	300x200x75

- *Main column: hardened chrome steel $\Phi 50 \times L300\text{mm}$
- * $\Phi 8\text{mm}$ indicator holder with aluminum alloy material
- *Standard holder hole $\Phi 8\text{mm}$, also custom hole diameters available.




GN-MS3020H

Diagram of indicator installation



$\Phi 8\text{mm}$



$\Phi 28\text{mm}$

■ Measuring Stand Extension Rod



Model No.	Spec. (mm)
GN-MS400E	Length : 400 Dia. : Φ25
GN-MS600E	Length : 600 Dia. : Φ25
GN-MS900E	Length : 900 Dia. : Φ25

*Material: Hardened chrome steel

■ Slide Guide Comparator

For measuring and inspecting straightness, parallelism, flatness, and other geometrics tolerance of machine tools slide table, linear slides, and mechanical assembly.



GN-SC150

Model No.	Specification (LxWxH)	Material
GN-SC150	150x100x50mm M8-6g	Black Granite


*The types and specs of universal arms and indicators are optional as per customer's requirements.



Granite Surface Plate Cleaner

- *For cleaning, maintaining, lubricating granite plate surface, to reduce wear and extend service life
- *Using granite maintenance original materials imported from Starrett brand of United States

CN-CL0.1



Model No.	Capacity
GN-CL0.1	100 ml
GN-CL1.0	1000 ml




CN-CL1.0

Steel Stands

Model No.	Specification L x W x H (mm)
GN-S3030	300x300x700
GN-S3045	450x300x700
GN-S4560	600x450x700
GN-S5050	500x500x700
GN-S5080	800x500x700
GN-S6060	600x600x700
GN-S6090	900x600x700
GN-S75100	1000x750x600
GN-S90120	1200x900x600
GN-S100100	1000x1000x600
GN-S100150	1500x1000x600
GN-S100200	2000x1000x500
GN-S150150	1500x1500x500
GN-S150200	2000x1500x500
GN-S150300	3000x1500x400
GN-S200200	2000x2000x400
GN-S200300	3000x2000x400
GN-S200400	4000x2000x300
GN-S300300	3000x3000x300
GN-S300400	4000x3000x400

Diagram of production method



- *L type painted steel plate with leveling bolt, height adjustable 50-75mm. Total height: 750-900mm (Including granite plate).
- *Providing specific type and specification as requirement